

# **Atmospheric Models/Global Atmospheric Modeling**

Timothy F. Hogan  
Naval Research Laboratory  
Monterey, CA 93943-5502  
phone: (831) 656-4705 fax: (831) 656-4769  
email: [hogan@nrlmry.navy.mil](mailto:hogan@nrlmry.navy.mil)  
Award #: N0001498WX400008 (NRL BE-35-2-18)  
<http://www.nrlmry.navy.mil>

## **LONG-TERM GOAL**

The ultimate goal of this project is to improve the numerical global weather prediction ability of the Navy. This objective is to be obtained by developing state-of-the-art numerical algorithms and physical parameterizations that demonstrate superior statistical and synoptic skill over existing techniques when tested in a data assimilation cycle similar to that used in operations.

## **OBJECTIVES**

The objective of this project is to develop a global numerical weather prediction model that has forecast skill out to 7-10 days. The output from this model will be used to provide weather information for military planning and exercises; to provide boundary conditions for mesoscale models; and to provide surface fluxes to ocean, wave, and ice prediction models. This model must be capable of providing consistent, accurate depictions of the atmosphere with a range of scales from global down to mesoscale, for weather phenomena such as tropical cyclones, fronts, and intense precipitation. The payoffs for having such a model includes improved forecast guidance and products for many Fleet activities such as weapons support, mesoscale and local weather, ocean thermal structure and circulation forecasting, ice prediction, wave forecasting, ship routing, flight planning, and mission planning.

## **APPROACH**

Our approach is to build a global atmospheric model based on the hydrostatic primitive equations. This model represents the forecast component of the Navy Operational Global Atmospheric Prediction System (NOGAPS). The use of the NOGAPS forecast model for operations implies that efficient solution techniques must be used. The solution of the dynamics is done on a spectral grid, which avoids the complication of the convergence of grid points near the poles, present when solutions are attempted using finite difference techniques. A semi-implicit time integration technique is used to allow for larger time steps, and therefore, a more efficient solution than that attainable with conventional explicit solution techniques. State-of-the-art parameterizations are used to include relevant physical processes. These include convective and large-scale precipitation processes, radiation parameterizations to account for long-wave and solar radiative processes (clear-sky and cloudy interactions), planetary boundary layer turbulent mixing, and a surface layer flux parameterization.

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE <b>1998</b>		2. REPORT TYPE		3. DATES COVERED <b>00-00-1998 to 00-00-1998</b>	
4. TITLE AND SUBTITLE <b>Atmospheric Models/Global Atmospheric Modeling</b>				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) <b>Naval Research Laboratory, Monterey, CA, 93943-5502</b>				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT <b>Approved for public release; distribution unlimited</b>					
13. SUPPLEMENTARY NOTES <b>See also ADM002252.</b>					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT <b>Same as Report (SAR)</b>	18. NUMBER OF PAGES <b>3</b>	19a. NAME OF RESPONSIBLE PERSON
a. REPORT <b>unclassified</b>	b. ABSTRACT <b>unclassified</b>	c. THIS PAGE <b>unclassified</b>			

## **WORK COMPLETED**

In FY '98, the 6.2 NOGAPS work focused on identifying systematic errors, improving some of the existing parameterizations, testing the impact of the revised TOVS retrievals, and developing new numerical methods to replace the spectral dynamical formulation. An effort is underway to identify deficiencies in the various physical parameterizations and the systematic errors in tropical cyclone track predictions. Testing has begun on implementing a semi-Lagrangian advection and thin-grid schemes into NOGAPS. Major work is continuing in improving the surface flux, gravity wave drag, cumulus convection, and radiation schemes. Conference and journal articles have been written and submitted, which include the development of NOGAPS' adjoint, tropical cyclone forecasting, and numerical methods on geodesic grids. An improved diffusion formulation at the model top, an improved stratiform cloud parameterization, and a new normal mode initialization of the multivariate optimum interpolation's (MVOI) increments have been transitioned to 6.4.

## **RESULTS**

The overall results of the work resulted in the transition of NOGAPS 4 to operations. NOGAPS 4 constitutes a major upgrade in the Navy's weather predictive skill. The results from data assimilation/forecast tests over a summer month, a winter month, and 2 tropical cyclone periods demonstrate an increase in skill in nearly every statistical measure examined, with significant improvements in the tropics and stratosphere. The new initialization procedure marks a major breakthrough in providing even more accurate 0-48 hour forecast products to the Navy's mesoscale weather prediction system COAMPS, which depends critically on global boundary conditions

## **IMPACT/APPLICATION**

The global modeling project addresses a DOD Key Technology of Environmental Effects by employing DOD Critical Technologies of Simulation and Modeling and assessing Weapon System Environments. Mission Area Thrusts in Decision Support, Distributed C2, Information Management, and Scene Description and Simulation are addressed. Virtually all of the DOD Science and Technology Thrusts are affected by improved assessment and prediction of atmospheric conditions.

Safe and efficient operation of ships and aircraft at sea and ashore highly depends on accurate predictions of hazardous weather and sea conditions. Mission planning, rehearsal, and execution require knowledge of current and future atmospheric and ocean conditions. A staggering range of spatial and temporal scales must be addressed, from cloud droplets to global weather patterns and from instant support for low-flier detection to 10-day predictions for mission planning. NOGAPS is central to all requirements for environmental support. Not only does NOGAPS provide the weather information needed for global-wide support of DOD assets, it also provides the boundary conditions for tactical scale atmospheric prediction systems and provides the forcing for ocean, ice, and wave predictions. Thus improvements in the global model have far-reaching DOD implications.

In addition to benefiting all of the DOD and broader defense-related activities, technology developed at NRL is also being used by other civilian agencies. For example, NOGAPS has earned strong respect as a skillful hurricane forecast model, and the NOGAPS forecasts are frequently referred to in the official guidance issued by NOAA's Hurricane Center. Furthermore, graphical NOGAPS products made

available by FNMOC over the Internet are used by National Weather Service and public media forecasters as additional guidance when preparing their local forecasts. Feedback during this past winter's El Nino-enhanced storm season was very favorable concerning NOGAPS prediction of these damaging west coast storms.

## **TRANSITIONS**

The results of this work (new initialization of increments, improved cloud prediction, and improved surface fluxes) have been transition to 6.4 (Global Atmospheric Models, PE 0603207N, X-0513, SPAWAR PMW-185) and ultimately became part of the latest version of NOGAPS (NOGAPS 4), which was transitioned to operations at FNMOC in June 1998.

## **RELATED PROJECTS**

This atmospheric model development effort is part of our vertically integrated program for basic (6.1) and advanced (6.2) research as well as transition to operations (6.4). Related advanced development (6.2) projects within PE 0602435N are BE-35-2-20, 035-32, 035-33, BE-35-2-19, 035-71, 035-23, and BE-35-2-32, which focus on the development of data assimilation systems, prediction of aerosols, development of coupled air-ocean-wave prediction systems, and the utilization of massively parallel computer architecture for solution of non-linear prediction systems. Related 6.4 projects under PE 0603207N include X0513-02, and X0523-01, which focus on the transition of the 6.2 development to operations at FNMOC.

## **PUBLICATIONS**

Harr, P.A., 1997: Extratropical transition. ONR Workshop on tropical cyclones and trough interactions, Bad Tolz, Germany, 4-8 August 1997.

Hogan, T. F., 1998: Report on Data Assimilation Experiments Using the RTOVS Retrievals. NRL Report NRL.MRY.7532—98-7234, 15 pages

Klein, P.M., 1997: Extratropical transition of western North Pacific tropical cyclones. MS, Naval Postgraduate School, Monterey, CA.

Klein, P.M., P.A. Harr, R.L. Elsberry, and T.F. Hogan, 1997: Extratropical transition of western North Pacific tropical cyclones. Preprints, 22<sup>nd</sup> Conference on Hurricanes and Tropical Meteorology, Ft. Collins, CO, AMS, Boston MA 02108, 364-365.

Ridout, J.A. and C.A. Reynolds, 1997: Boundary layer conditions and moisture transport. Royal Meteorological Soc. Physics of Climate Conf., London, UK, October 29-30.

Ridout, J.A. and C.A. Reynolds, 1998: Western Pacific warm pool region sensitivity to convective triggering by boundary layer thermals in the NOGAPS atmospheric GCM, J. Climate, 11, 1553-1573.

Rosmond, T.E., 1997: A technical description of the NRL adjoint modeling system. NRL Memorandum Report, NRL/MR/7532/97/7230. Naval Research Laboratory, Monterey Ca. 53 pp.